

- - , / ' , - ' , - ' , - ' '

5/8" GYP BRD ----

—(E) GYP BOARD

(E) 2X6 WOOD

CONSTRUCTION

-NEW BASE

TYP EXISTING INTERIOR PARTITION

PARTITION TYPE J

5/8" GWB GLUED TO BLOCK

ADHESIVE

PARTITION TYPE I

-8" CMU BLOCK

\_3/4" MIN. PLYWOOD FLOOR UNDERLAYMENT

11-7/8" DEEP ENGINEERED

WOOD I-JOIST

─1/2" GWB CEILING

5 TYP NEW FLOOR ASSEMBLY 1" = 1'-0"

BUILDING **ADMINISTRATION** PROJ. NO:

**DESIGNS** 

**ARCHITECTS** 

**GROUP** 

122A Doña Luz St Taos, NM 87571

t: 575. 751. 9481

www.ldgtaos.com

2018-600 ISSUE DATE:

ISSUED FOR:

REVISIONS:

8 NO DATE DESCRIPTION

DRAFTED BY: APPROVED BY: LDG SCALE: As indicated

**INTERIOR PARTITION TYPES** 

PARTITION TYPE G

5 1/2" SOUND ATTENUATION BATT

INSULATION

2X6" WOOD STUD-

WALL BASE PER

SCHEDULE

4 2HR INTERIOR WALL ASSEMBLY 1/2" = 1'-0"

ENG. WD TRUSS

-5/8" GYP. BOARD

5/8" TYPE "X" GWB. MOISTURE RESISTANT

INSTALLED

IN BATHROOMS

-WALL BASE PER

2X6 P.T. WOOD

BOTTOM PLATE

SCHEDULE

GYPSUM WALL BOARD

2X4" WOOD STUD-

PARTITION TYPE H

DBL. TOP PLATE

-5/8" GYP. BOARD

—DBL. TOP PLATE

5/8" TYPE "X" GYPSUM WALL BOARD

MOISTURE RESISTANT

-3 1/2" SOUND

INSULATION

SCHEDULE

2X4 P.T. WOOD

BOTTOM PLATE

ATTENUATION BATT

-WALL BASE PER

TYPE "X" GWB INSTALLED IN BATHROOMS