

Within the Antoine Leroux Grant, in the Village of Taos Ski Valley, Taos County, New Mexico

PROPERTY DESCRIPTION Adjusted Rio Hondo Tract

A tract of land within the Antoine Leroux Grant in the Village of Taos Ski Valley, Taos County, New Mexico, located within Projected Sections 4 and 9, Township 27 North, Range 14 East, NMPM, and more particularly described as follows:

BEGINNING at the southeasterly corner of this tract, a 1/2" rebar set with a cap stamped NMPS 11770, from whence "TSVI 2," a brass cap monument set and stamped NMPS 11770, bears S 83° 50' 16" E, 879.04 ft. distant, thence:

N 88° 51' 35" W, 1278.53 ft. to the southwesterly corner of this tract, a 1/2" rebar set,

N 44° 43' 19" W. 674.74 ft. to a 1/2" rebar set. thence:

S 88° 48' 32" E, 126.65 ft. to a 1/2" rebar set, thence:

N 01° 11' 28" E, 195.04 ft. to the northwesterly corner of this tract, a point on the centerline of the Rio Hondo from whence a 1/2" rebar set as a witness corner bears S 01° 11' 28" W, 30.00 ft. distant, thence along said rio centerline the following meander courses:

S 76° 01' 02" E, 14.82 ft. to a point, thence:

N 87° 00' 31" E, 95.88 ft. to a point, thence:

S 65° 41' 22" E, 22.89 ft. to a point, thence:

N 89° 40' 47" E, 19.59 ft. to a point, thence:

N 59° 13' 03" E, 40.75 ft. to a point, thence:

N 73° 26' 49" E, 27.59 ft. to a point, thence: N 89° 02' 40" E, 47.22 ft. to a point, thence:

N 83° 12' 18" E, 59.95 ft. to a point, thence:

S 81° 34' 19" E, 30.94 ft. to a point, thence:

N 78° 29' 46" E, 91.14 ft. to a point, thence:

S 87° 32' 38" E, 73.37 ft. to a point, thence:

N 71° 16' 54" E, 78.60 ft. to a point, thence:

N 44° 00' 31" E, 136.34 ft. to a point, thence:

N 68° 48' 38" E, 65.45 ft. to a point from whence a 1/2" rebar found as a witness corner bears S 32° 29' 01" E, 15.46 ft. distant, thence leaving said rio centerline:

S 32° 29' 01" E, 303.51 ft. to 1/2" rebar found, thence:

S 07° 57' 30" W, 36.43 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence:

S 34° 43′ 44″ E, 61.55 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence:

S 86° 17' 07" E, 24.59 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence: N 69° 26' 11" E, 23.61 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence:

N 55° 01' 08" E, 98.37 ft. to a 1/2" rebar set, thence:

S 07° 46' 05" W, 37.93 ft. to a 1/2" rebar set, thence:

N 90° 00' 00" E, 216.67 ft. to the northeasterly corner of this tract, a 1/2" rebar set, thence:

S 00° 01' 31" W, 47.17 ft. to a 1/2" rebar set, thence:

S 00° 01' 31" W, 209.77 ft. to a 1/2" rebar set, thence: S 78° 56' 10" E, 157.29 ft. to a 1/2" rebar set, thence:

S 71° 17' 03" E, 204.06 ft. to a 3/4" iron pipe monument found, thence:

S 00° 14' 05" E, 213.60 ft. to the POINT OF BEGINNING,

LESS AND EXCEPT the lands of the Snow Bear Inn of Taos, LLC, which are contained within the tract described above constituting 1.064 acres more or less, as shown on a plat entitled Snow Bear Inn Condominium, prepared by Robert A. Watt, NMPS #11770, having project number 1223.01, dated 7 July 2006 and amended 5 July 2007, filed in Cabinet E, page 129-B, of the records of the Taos County Clerk, and more particularly described as follows:

BEGINNING at the southwesterly corner of this tract, a 1/2" rebar found, from whence "TSVI 2," a brass cap monument set and stamped NMPS 11770, bears S 80° 41' 24" E, 2,049.39 ft. distant, thence:

N 19° 32' 48" W, 149.90 ft. to the northwesterly corner of this tract, a 1/2" rebar found with a

N 81° 50' 12" E, 95.53 ft. to a 1/2" rebar set, thence:

S 83° 33' 48" E, 239.04 ft. to the northeasterly corner of this tract, a magnetic nail set with a tag stamped NMPS 11770, thence:

S 19° 32' 48" E, 149.90 ft. to the southeasterly corner of this tract, a 1/2" rebar found with a cap stamped LS 4369, thence:

N 83° 33' 48" W, 239.04 ft. to a point, thence:

S 81° 50' 12" W, 95.53 ft. to the POINT OF BEGINNING,

This tract contains 19.611 acres more or less, as shown on Red Tail Surveying, Inc. plat no. 1805-06-LLA, entitled Taos Ski Valley Base Area Lot Line Adjustments, dated 16 Sep 2025, prepared by Robert A. Watt, NMPS #11770.

I, Robert A. Watt, a New Mexico Registered Professional Surveyor, certify that I conducted and am responsible for this survey, that this survey is true and correct to the best of my knowledge and belief, and that this survey and plat meet the Minimum Standards for Surveying in New Mexico. I further certify that this is a boundary survey plat of an existing tract or tracts, and that this is not a land division or subdivision as defined in the New Mexico Subdivision Act.

PROPERTY DESCRIPTION **Adjusted Strawberry Hill Tract**

A tract of land within the Antoine Leroux Grant in the Village of Taos Ski Valley, Taos County, New Mexico, located within Projected Sections 4 and 9, Township 27 North, Range 14 East, NMPM, and more particularly described as follows:

BEGINNING at the Southeasterly corner of this tract, a 1/2" rebar set with a cap stamped NMPS 11770, from whence "TSVI 2." a brass cap monument set and stamped NMPS 11770. bears N 58° 49' 50" E, 213.82 ft. distant, thence:

N 82° 52' 39" W, 198.10 ft. to a 1/2" rebar set, thence:

N 69° 56' 55" W, 526.34 ft. to the southwesterly corner of this tract, a 1/2" rebar set, thence:

N 00° 14' 05" W, 213.60 ft. to a 3/4" iron pipe monument found, thence:

N 00° 14' 05" W, 33.94 ft. to a 1/2" rebar found, thence:

N 40° 22' 36" E, 23.59 ft. to a 1/2" rebar set, thence: N 07° 42' 48" E, 84.21 ft. to a 1/2" rebar set, thence:

S 85° 16' 01" E, 55.69 ft. to a 1/2" rebar set, thence:

N 05° 12' 06" E, 59.55 ft. to a 1/2" rebar set, thence:

N 70° 33' 59" W. 93.54 ft. to a 1/2" rebar set, thence:

N 64° 12' 04" W, 123.01 ft. to a 1/2" rebar set, thence:

N 82° 35' 06" W, 237.92 ft. to a 1/2" rebar set, thence: N 00° 01' 31" E, 47.17 ft. to a 1/2" rebar set, thence:

N 90° 00' 00" W, 216.67 ft. to a 1/2" rebar set, thence:

N 07° 46' 05" E, 37.93 ft. to a 1/2" rebar set, thence:

S 89° 54' 23" E, 23.80 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence:

N 00° 00' 36" E, 49.96 ft. to a 1/2" rebar set, thence:

S 87° 53′ 00" E, 32.88 ft. to a 1/2" rebar set, thence:

N 02° 07' 00" E, 88.35 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence: N 00° 00' 57" W, 25.13 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence: N 00° 36' 08" W, 113.37 ft. to the northwesterly corner of this tract, a point on the centerline

of the Rio Hondo, from whence a 1/2" rebar set as a witness corner bears S 00° 36' 08" E, 39.50 ft. distant, thence along said rio centerline the following meander courses:

S 88° 37' 21" E, 75.85 ft. to a point, thence:

S 42° 57' 22" E, 78.78 ft. to a point, thence:

N 89° 00' 33" E, 44.10 ft. to a point, thence:

S 72° 25' 13" E, 212.53 ft. to a point, thence:

N 76° 28' 18" E, 43.29 ft. to a point, thence:

S 62° 35' 08" E, 109.06 ft. to a point, thence: S 76° 03' 52" E, 141.05 ft. to a point, thence:

N 73° 38' 53" E, 59.72 ft. to a point, thence:

S 85° 02' 17" E, 63.67 ft. to a point, thence: N 72° 13' 21" E, 123.22 ft. to a point, thence:

N 80° 32' 32" E, 73.65 ft. to a point, thence:

S 60° 58' 45" E, 41.31 ft. to a point, thence: S 39° 34' 07" E, 26.72 ft. to the northeasterly corner of this tract, a point from whence a 1/2" rebar found as a witness corner bears S 00° 12' 28" W, 67.41 ft. distant, thence leaving said rio centerline:

S 00° 12' 28" W, 280.64 ft. to a 1/2" rebar found, thence: S 77° 31' 09" E, 172.62 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence: S 23° 30' 56" E, 22.01 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence:

S 13° 14' 28" W, 27.30 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence:

N 77° 30' 13" W, 41.09 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence: S 73° 47' 15" W, 18.42 ft. to a 1/2" rebar set, thence:

N 74° 40' 21" W, 157.38 ft. to a 1/2" rebar set, thence: S 53° 31' 25" W, 46.20 ft. to a 1/2" rebar set, thence:

S 33° 43' 48" W, 33.67 ft. to a 1/2" rebar set, thence: S 29° 26' 18" E, 210.92 ft. to a 1/2" rebar set, thence:

S 52° 28' 24" E, 33.03 ft. to a 1/2" rebar set, thence:

S 79° 22' 25" E, 46.58 ft. to a 1/2" rebar set, thence: S 80° 41' 07" E, 255.41 ft. to a 1/2" rebar set, thence:

N 63° 03' 20" E, 48.77 ft. to a 1/2" rebar set, thence:

S 33° 30' 17" W, 307.06 ft. to the POINT OF BEGINNING.

S 33° 30' 17" W, 54.24 ft. to a 1/2" rebar set, thence:

prepared by Robert A. Watt, NMPS #11770.

This tract contains 14.558 acres more or less, as shown on Red Tail Surveying, Inc. plat no. 1805-06-LLA, entitled Taos Ski Valley Base Area Lot Line Adjustments, dated 16 Sep 2025,

PROPERTY DESCRIPTION **Adjusted Hotel St. Bernard Tract**

A tract of land within the Antoine Leroux Grant in the Village of Taos Ski Valley, Taos County, New Mexico, located within projected Section 9, Township 27 North, Range 14 East, NMPM, and more particularly described as follows:

BEGINNING at the southeasterly corner of this tract, a 1/2" rebar set with a cap stamped NMPS 11770, from whence "TSVI 2," a brass cap monument set and stamped NMPS 11770, bears S 10° 36' 08" W, 204.88 ft. distant, thence:

S 63° 03' 20" W, 23.79 ft. to a 1/2" rebar set, thence:

S 63° 03' 20" W, 48.77 ft. to a 1/2" rebar set, thence:

N 80° 41' 07" W, 255.41 ft. to a 1/2" rebar set, thence:

N 79° 22' 25" W, 46.58 ft. to the southwesterly corner of this tract, a 1/2" rebar set,

N 52° 28' 24" W, 33.03 ft. to a 1/2" rebar set, thence:

N 29° 26' 18" W, 210.92 ft. to a 1/2" rebar set, thence:

N 33° 43' 48" E, 33.67 ft. to a 1/2" rebar set, thence: N 53° 31' 25" E, 46.20 ft. to the northwesterly corner of this tract, a 1/2" rebar set, thence:

S 74° 40' 21" E. 157.38 ft. to a 1/2" repar set, thence:

N 73° 47' 15" E, 18.42 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence: S 77° 30' 13" E, 41.09 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence: S 13° 14' 28" W, 82.06 ft. to a magnetic nail set with a tag stamped NMPS 11770,

S 77° 08' 48" E, 265.26 ft. to the northeasterly corner of this tract, a 1/2" rebar set,

S 09° 34' 03" W, 52.50 ft. to a 1/2" rebar set, thence: S 38° 02' 41" E, 3.50 ft. to a 1/2" rebar set, thence:

S 09° 33' 36" W, 38.09 ft. the POINT OF BEGINNING.

This tract contains 1.912 acres more or less, as shown on Red Tail Surveying, Inc. plat no. 1805-06-LLA, entitled Taos Ski Valley Base Area Lot Line Adjustments, dated 16 Sep 2025, prepared by Robert A. Watt, NMPS #11770.

VILLAGE OF TAOS SKI VALLEY, NEW MEXICO

The Lot Line Adjustments shown on this Boundary Survey Plat is not considered a subdivision under the New Mexico Municipal Subdivision Act as defined in Section 3-20-1.A.(1) of said Act (NMSA 1978, as amended 1979) and the Village of Taos Ski Valley, New Mexico's Subdivision Ordinance No. 10-25 adopted January 7, 1997), as amended, Section 1-6.B.43.a.1.) (Definitions: "Subdivide or Subdivision") as this plat depicts adjustments of lot lines where the number of parcels or tracts are not increased. Accordingly, this administrative lot line adjustment boundary survey plat is hereby approved for recordation in the Taos County, New Mexico Clerk's Office.

> Village of Taos Ski Valley Planning Officer Rick Bellis (Acting Planning Officer and Village Administrator)

> > Date

ADMINISTRATIVE LOT LINE ADJUSTMENT SHEET 2 OF 11 **DESCRIPTIONS**

BOUNDARY SURVEY

Projected Sections 4 & 9, T 27N, R 14E, NMPM



Red Tail Surveying, Inc. Complete Land Surveying and Earth Information Services 301-A Hinde Street Taos, New Mexico 87571-6654

575.758.7441

Taos Ski Valley Base Area Lot Line Adjustments

Proof: Robert A. Wat

www.redtailsurvey.com

Date: 16 Sep 2025

Scale: N/A

Survey plat prepared for:

Job no. 1805-06-LLA

Robert A. Watt, NMPS #11770

16 September 2025

ARCHIVE\1800-1899\1805 TAOS SKI VALLEY ASSORTED CORE VILLAGE PROJECTS\1805-06-LLA PARCEL M LLA WITH MOGUL MED AND HSB\B DRAFTING\DWG\1805-06-LLA TSVI 16 SEP 25.DWG Last Saved: 10/8/2025 11:58 AM

Within the Antoine Leroux Grant, in the Village of Taos Ski Valley, Taos County, New Mexico

PROPERTY DESCRIPTION **Adjusted Day Lodge Tract**

A tract of land within the Antoine Leroux Grant in the Village of Taos Ski Valley, Taos County, New Mexico, located within Projected Section 9, Township 27 North, Range 14 East, NMPM, and more particularly described as follows:

BEGINNING at the southeasterly corner of this tract, a 1/2" rebar set with a cap stamped NMPS 11770, from whence "TSVI 2," a brass cap monument set and stamped NMPS 11770, bears S 47° 44' 01" W, 404.23 ft. distant, thence:

N 76° 51' 36" W, 158.91 ft. to a 1/2" rebar set, thence:

S 59° 16' 23" W, 17.27 ft. to a 1/2" rebar set, thence:

N 31° 08' 45" W, 42.75 ft. to a 1/2" rebar set, thence:

N 73° 18' 55" W, 31.64 ft. to a 1/2" rebar set, thence:

S 62° 26' 01" W, 16.59 ft. to a 1/2" rebar set, thence:

S 14° 12' 57" W, 10.55 ft. to a 1/2" rebar set, thence:

S 62° 39' 44" W, 1.97 ft. to the southwesterly corner of this tract, a 1/2" rebar set, thence:

N 12° 56' 40" E, 55.74 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence: S 74° 56' 59" E, 8.09 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence:

N 17° 01' 43" E, 60.46 ft. to a point, thence:

N 27° 58' 17" W, 18.71 ft. to a point, thence:

N 17° 00' 25" E, 65.52 ft. to the northwesterly corner of this tract, a point, thence:

S 59° 56' 21" E, 3.06 ft. to a point, thence:

S 61° 07' 33" E, 42.03 ft. to a point from whence a magnetic nail with a tag stamped NMPS 11770 set as a witness corner bears S 12° 52' 07" W. 9.00 ft.

S 61° 10' 36" E, 58.37 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence:

S 67° 41' 50" E, 20.39 ft. to the northeasterly corner of this tract a magnetic nail set with a tag stamped NMPS 11770, thence:

An arc distance of 68.58 ft. along a curve concave to the northeast, having a radius of 146.08 ft. through a central angle of 26° 54' 01", the chord of which bears S 30° 40' 01" E, 67.96 ft. to a point, thence:

An arc distance of 58.76 ft. along a curve concave to the southwest, having a radius of 229.95 ft. through a central angle of 14° 38' 30", the chord of which bears S 36° 47' 34" E, 58.60 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence:

S 29° 28' 07" E, 46.84 ft. to the easterly corner of this tract, a 1/2" rebar set, thence:

S 13° 38' 41" W, 40.66 ft. to the POINT OF BEGINNING.

This tract contains 0.750 acre more or less, as shown on Red Tail Surveying, Inc. plat no. 1805-06-LLA, entitled Taos Ski Valley Base Area Lot Line Adjustments, dated 16 Sep 2025, prepared by Robert A. Watt, NMPS #11770.

Excluding therefrom the airspace below the Plaza Area that is shown on a plat entitled Taos Ski Valley, Inc. Parcel G and Day Lodge Lot line Adjustment, prepared by Robert A. Watt, NMPS #11770, having project number 1805.G, dated 21 May 2015, filed in Cabinet F, page 39-A, and as described in that Warranty Deed filed in Book 878, pages 618-619 of the records of the Taos County Clerk.

DOCUMENT REFERENCE

	DOCOMENT REFERENCE			
			Taos Cou	nty Filing Info.
Document Type	Grantor/Grantee	Date Signed	Book	Page(s)
Warranty Deed		09 Jun 2023	1168	186-190
Warranty Deed		30 Apr 2015	874	539-541
General Warranty Deed	The Estate of Jean Mayer to Hotel St. Bernard, LLC	28 Apr 2021	1087	105-107
Warranty Deed	Taos Ski Valley, Inc. to Taos Ski Valley, Inc.	23 Jun 2015	878	623-626
Warranty Deed	Taos Ski Valley, Inc. to Taos Ski Valley, Inc.	15 Jan 2021	1075	371-372
Warranty Deed	Taos Ski Valley, Inc. to Taos Ski Valley, Inc.	29 Aug 2008	660	64-70
Special Warranty Deed	TSV, LLC. To TSV Pioneers LLC	20 Oct 2010	731	724-725
Correction Warranty Deed	Taos Ski Valley, Inc. to Taos Ski Valley, Inc.	05 Mar 2015	869	904-907
Condo Declaration	SnowBear Inn, Taos, LLC	05 Mar 2010	710	760-764
Corrective Warranty Deed	Robert Brierley, et. al. to Dr. John Doyle & McCoy Enterprises, Inc.	06 Aug 1972	A-126	792-800
Warranty Deed	Taos Ski Valley, Inc. to Firehouse Development (TSV), LLC	09 Jun 2023	1168	182-185
Special Warranty Deed	Taos County & Hondo Canyon Fire Protection District (HCFPD) to Village of Taos Ski Valley & HCFPD	15 Jan 1997	A-239	409-410
Quit Claim Deed	Taos Ski Valley, Inc to Kandahar Assoc.	06 Jun 2006	559	579-580
Quit Claim Deed	Taos Development Group, LLC & William Kipnis to Taos Development Group, LLC	01 Apr 2005	485	625-627
Warranty Deed	Mujer Loca, Inc. to Taos Resorts, Inc.	23 May 2005	492	804-808
Condo Declaration	First Amendment to Condominium Declaration for TSV Parcel G, a Condominium	19 Nov 2019	1033	703-724
Warranty Deed	Parcel D Development, LLC to Taos Ski Valley, Inc.	08 Dec 2020	1071	106-108
Grant of Easement	Twining Associates to Taos Ski Valley, Inc.	09 May 2011	846	40-56
First Amended Easement Grant	Twining Associates, LLC to Taos Ski Valley, Inc.	03 Mar 2020	1042	260-266
Grant of Easement		26 Apr 2010	715	4-6
Quit Claim Deed		09 Oct 2012	790	192-194
Grant of Easement		10 Aug 2012	1141	23-27
Ratification of Easement Grant		21 Nov 2017	964	313
Grant of Easement	Taos Ski Valley, LLC to the Village of Taos Ski Valley	16 Sep 2009	696	623-624
Declaration of Restrictive Covenants	Taos Ski Valley, Inc.	15 Jan 2021	374	373-374
Grant of Easement		07 Dec 2016	932	977-985
Grant of Easement		07 Dec 2016	932	986-994
Grant of Easement		20 Jan 2017	935	33-37
Memorandum of Grant of License	Strawberry Hill Development, LLC to Edelwiess Lodge and Spa Association	26 Oct 2017	964	666-669
Warranty Deed	Realty Investors Corporation et. al. to The Sierra Del Sol Association	23 Jan 1976	A-138	743-744
Warranty Deed	Realty Investors Corporation et. al. to Sierra Del Sol Association	29 Oct 1971	A-124	556-557
Easement (Open Space)	TSV Pioneers, LLC to Taos Ski Valley Master Association, Inc.	10 Nov 2010	735	405-406
Warranty Deed	Parcel G Development, LLC to Taos Ski Valley, Inc.	23 Jun 2015	878	618-619
Grant of Easement	Taos Ski Valley, Inc. to Taos Development Group, LLC	16 Sep 2003	M-407	583-593
Grant of Easement	Strawberry Hill Development, LLC. to New Mexico Gas Company, Inc.	10 Jan 2017	1001	259-270
	Warranty Deed Special Warranty Deed Correction Warranty Deed Condo Declaration Corrective Warranty Deed Warranty Deed Warranty Deed Quit Claim Deed Quit Claim Deed Quit Claim Deed Grant Opeclaration Warranty Deed Grant of Easement First Amended Easement Grant Grant of Easement Ratification of Easement Ratification of Restrictive Covenants Grant of Easement Grant of Easement Grant of Easement Memorandum of Grant of License Warranty Deed Warranty Deed Warranty Deed Easement Memorandum of Grant of License Warranty Deed Easement (Open Space) Warranty Deed Grant of Easement	Document Type Warranty Deed Warranty Deed Warranty Deed Warranty Deed General Warranty Deed Correction Warranty Deed Condo Declaration Corrective Warranty Deed Quit Claim Deed Quit Claim Deed Quit Claim Deed Grant of Easement Memorandum of Grant	Document Type	Document Type

PLAT REFERENCE

	· -							
No.	Title	Surveyor	NMPS #	Job No.	Date	Amd. Date	Cabinet	Page
P1	Taos Ski Valley, Inc. and Firehouse Development (TSV), LLC	Robert A. Watt	11770	2651-01-LS	17 Apr 2023		F	171-A
P2	"Parcel M" Taos Ski Valley, Inc.	Robert A. Watt	11770	1805.02	19 Jan 2015		F	34-B
P3	Hotel Saint Bernard	Robert A. Watt	11770	2624-01-BDY	10 Dec 2020		F	128-B
P4	Taos Ski Valley, Inc. Voluntary Mitigation Parcel	Robert A. Watt	11770	2504.LS	18 Sep 2020		F	123-B
P5	TSV, LLC	Robert A. Watt	11770	1349.06	24 Feb 2014		F	26-B
P6	Snow Bear Inn Condominium	Robert A. Watt	11770	1223.01	07 Jul 2006	05 Jul 2007	E	129-B
P7	McCoy Enterprises Inc.	Georg Veddler	3707		21 Jun 1972		M-48	292
P8	TSV Firehouse, a Condominium	Robert A. Watt	11770	2651-06-CND	12 Dec 2023		F	180-A
P9	Village of Taos Ski Valley Municipal Office	Robert A. Watt	11770	2651-11-BDY	03 Jun 2025		not of i	record
P10	The Kandahar	Robert A. Watt	11770	1180	08 Nov 2005		E	89-B
P11	Public Dedication of Lands and Easement Rights by Taos Ski Valley, Inc. et al. to VTSV	Robert A. Watt	11770	2009	25 Aug 2016		F	68-A
P12	Edelweiss Lodge and Spa Condominium	Mitchel K. Noonan	6998	T-1817	15 Jan 2005		E	56-A
P13	Snakedance Condominium & Spa	Mitchel K. Noonan	6998	T-1901	07 Dec 2009		E	175-A
P14	TSV Parcel G, a Condominium	Robert A. Watt	11770	2030.amd1	31 Oct 2019		F	106-A
P15	Land Division Survey for Parcel D Development, LLC, Creating Parcel D-1 and D-2	Robert A. Watt	11770	2389.01.LS	11 Nov 2020		F	122-B
P16	Sierra del Sol Condominium Association	A. G. Stewart	11183	655	22 Jun 1999	19 Feb 2004	Е	21-A
P17	Lake Fork Townhomes, a Condominium	Mark W. Shadburn	17532	1501.02	23 Feb 2010	20 Sep 2021	F	154-A
P18	Hoyt & Charles L. Pattison	A. G. Stewart	11183	594	22 Sep 1998		D	79-B
P19	Pattison Trust, LLC and Taos Cabin, LLC	Scott B. Crowl	12441	L5008-6(LLA)	13 Sep 2021		F	168-A
P20	Bernard Mayer	A. G. Stewart	11183	330	Aug 1995	04 Apr 2000	D	116-B
P21	Marchman and Wilson	Robert A. Watt	11770	1349 L2	17 Nov 2009		F	9-A
P22	O. E. Pattison Subdivision	J. A. Woods	2367		Jun 1963		В	49-B
P23	Pioneers Glade Subdivision	Robert A. Watt	11770	1349.04	22 Jul 2010		E	188-A
P24	As Built 2018 Gas Line Easment from Stawberry Hill Development, LLC(Tract 3) to NM Gas Co.	Robert A. Watt	11770	2060.NGE.amd	12 Feb 2018		F	93-A
P25	Taos Ski Valley, Inc. Parcel G and Day Lodge Lot Line Adjustment	Robert A. Watt	11770	1805.G	21 May 2015		F	39-A
\0 ARCHIVE\1800-1	899\1805 TAOS SKI VALLEY ASSORTED CORE VILLAGE PROJECTS\1805-06-LLA PARCEL M LLA WITH MOGUL ME	D AND HSB\B DRAFTING\DWG\1	805-06-LLA TS	SVI 16 SEP 25.DWG Lo	ast Saved: 10/8/20	25 11:58 AM		

PROPERTY DESCRIPTION **Adjusted Burroughs Tract**

A tract of land within the Antoine Leroux Grant in the Village of Taos Ski Valley, Taos County, New Mexico, located within Projected Section 9, Township 27 North, Range 14 East, NMPM, and more particularly described as follows:

BEGINNING at the southwesterly corner of this tract, a 2" iron pipe found with a cap stamped "SW COR R.L. TR.", from whence "TSVI 2," a brass cap monument set and stamped NMPS 11770, bears N 37° 05' 49" E, 1459.79 ft. distant, thence:

N 33° 30' 17" E, 1263.65 ft. to a 1/2" rebar set with a cap stamped NMPS 11770, thence:

N 33° 30' 17" E, 307.06 ft. to a 1/2" rebar set, thence:

N 33° 30' 17" E, 54.24 ft. to a 1/2" rebar set, thence:

N 63° 03' 20" E. 23.79 ft. to a 1/2" rebar set. thence:

N 09° 33′ 36" E, 38.09 ft. to a 1/2" rebar set, thence:

N 38° 02' 41" W, 3.50 ft. to a 1/2" rebar set, thence:

N 09° 34' 03" E, 52.50 ft. to a 1/2" rebar set, thence:

N 12° 56' 40" E, 33.43 ft. to a 1/2" rebar set, thence:

N 62° 39' 44" E, 1.97 ft. to a 1/2" rebar set, thence:

N 14° 12' 57" E, 10.55 ft. to a 1/2" rebar set, thence:

N 62° 26' 01" E, 16.59 ft. to a 1/2" rebar set, thence:

S 73° 18' 55" E, 31.64 ft. to a 1/2" rebar set, thence:

S 31° 08' 45" E, 42.75 ft. to a 1/2" rebar set, thence:

N 59° 16' 23" E, 17.27 ft. to a 1/2" rebar set, thence:

S 76° 51' 36" E, 158.91 ft. to a 1/2" rebar set, thence:

N 13° 38' 41" E, 40.66 ft. to a 1/2" rebar set, thence:

N 29° 28' 07" W, 46.84 ft. to a magnetic nail set with a tag stamped NMPS 11770, thence:

An arc distance of 58.76 ft. along a curve concave to the southwest, having a radius of 229.95 ft. through a central angle of 14° 38' 30", the chord

N 36° 47' 34" W, 58.60 ft. to a point, thence:

An arc distance of 68.58 ft. along a curve concave to the northeast, having a radius of 146.08 ft. through a central angle of 26° 54' 01", the chord

N 30° 40′ 01" W, 67.96 ft., to a magnetic nail set with a tag stamped NMPS 11770, thence:

S 66° 15' 59" E, 54.25 ft. to a point at the centerline of Lake Fork Stream, thence along said stream centerline the following meander courses:

S 48° 45' 07" E, 21.91 ft. to a point, thence:

S 38° 07' 35" E, 64.47 ft. to a point, thence:

S 53° 23' 56" E, 33.11 ft. to a point, thence:

S 09° 34' 01" E, 16.24 ft. to a point, thence:

S 43° 03' 04" E, 75.19 ft. to a point, thence:

S 60° 20' 06" E, 127.70 ft. to a point, thence: S 30° 21' 56" E, 95.83 ft. to a point, thence:

S 04° 02' 29" E, 89.46 ft. to a point, thence:

S 60° 08' 04" E, 119.86 ft. to a point, thence:

S 36° 54' 38" E, 158.16 ft. to a point, thence:

S 27° 17' 46" E, 58.63 ft. to a point, thence: S 50° 16' 13" E, 68.08 ft. to a point, thence:

S 51° 07' 23" E, 97.41 ft. to a point, thence:

S 49° 33' 16" W, 24.97 ft. to a point, thence: S 51° 05' 18" E, 52.68 ft. to a point, thence:

S 68° 41' 15" E, 39.05 ft. to a point from whence a 1/2" rebar set as a witness corner bears S 22° 48' 25" W, 16.00 ft. distant, thence leaving said stream centerline:

S 22° 48' 25" W, 71.25 ft. to a 1/2" rebar set, thence:

S 44° 41' 06" E, 560.98 ft. to the easterly corner of this tract, a 1/2" rebar set, thence:

S 45° 20' 26" W, 126.25 ft. to a 1/2" rebar set, thence:

N 73° 41' 12" W, 82.38 ft. to a 1/2" rebar set, thence:

N 66° 24' 11" W, 99.88 ft. to a 1/2" rebar set, thence:

S 23° 35' 40" W, 99.98 ft. to a 1/2" rebar set, thence: S 52° 07' 05" W, 428.14 ft. to the southeasterly corner of this tract, a 1/2" rebar set, thence:

N 88° 29' 19" W, 1590.14 ft. to the POINT OF BEGINNING,

LESS AND EXCEPT the lands of Taos Ski Valley, Inc., constituting 0.211 acre more or less, as shown on a plat entitled Taos Ski Valley, Inc. Voluntary Mitigation Parcel, prepared by Robert A. Watt, NMPS #11770, having project number 2504.LS, dated 18 September 2020, filed in Cabinet F, page 123-B, and as described in that Warranty Deed filed in Book 1075, pages 371-372 of the records of the Taos County Clerk, and more particularly described as follows:

BEGINNING at the southwesterly corner of this tract, a 1/2" rebar set with a cap stamped NMPS 11770, from whence "TSVI 2," a brass cap monument set and stamped NMPS 11770, bears S 12° 02' 06" W, 206.48 ft. distant, thence:

N 11° 21' 14" E, 114.56 ft. to the northwesterly corner of this tract, a 1/2" rebar set, thence:

S 85° 31' 09" E, 15.20 ft. to a 1/2" rebar set, thence:

S 52° 05' 20" E, 83.27 ft. to the northeasterly corner of this tract, a 1/2" rebar set, thence:

S 13° 06' 08" W, 84.90 ft. to the southeasterly corner of this tract, a 1/2" rebar set, thence:


N 74° 53' 25" W, 87.17 ft. to the POINT OF BEGINNING,

This tract contains 44.211 acres more or less, as shown on Red Tail Surveying, Inc. plat no. 1805-06-LLA, entitled Taos Ski Valley Base Area Lot Line Adjustments, dated 16 Sep 2025, prepared by Robert A. Watt, NMPS #11770.

ADMINISTRATIVE LOT LINE ADJUSTMENT SHEET 3 OF 11 **DESCRIPTIONS AND REFERENCES**

BOUNDARY SURVEY

Projected Sections 4 & 9, T 27N, R 14E, NMPM



Red Tail Surveying, Inc. Complete Land Surveying and Earth Information Services 301-A Hinde Street Taos, New Mexico 87571-6654

575.758.7441 www.redtailsurvey.com

Taos Ski Valley Base Area Lot Line Adjustments

Draftsman: TS


Proof: Robert A. Wat


Date: 16 Sep 2025


Survey plat prepared for:

Scale: N/A


Job no. 1805-06-LLA







Within the Antoine Leroux Grant, in the Village of Taos Ski Valley, Taos County, New Mexico AREA ABOVE PLAZA C/F TAOS SKI VALLEY, INC. "ADJUSTED DAY LODGE PARCEL" Blake Residences, C/F Taos Ski-Valley, Inc. **EXISTING** (D17)(P15) DAY LODGE BUILDING 25.0' easement for water ────AIR SPACE── D24, P2, & P15 Air Space Lower Surface 'The Blake' C/F Parcel G see refs. Development, LLC. D33 & P25 Radius=146.08 D16 P14 P25 Length=68.58' *∆=26°54'01"* Chord=S30°40'01"E retail spaces Chord Length=67.96' Level between Parcel G (Radius=146.20' Development, LLC and Length=68.63' _2 entryways cross access Taos Ski Valley Inc. Δ=26°53'52" (see cross section of D23(P11) Chord=N30°39'39"W hord Length=68.01' 1 entryway cross access Radius=229.95' Length=58.76' -*∆= 14°38'30"* Chord=S36°47'34"E The Snakedance[,] AREA BELOW PLAZA C/F PARCEL G DEVELOPMENT, LLC. Adjusted Day Lodge Tract Chord Length=58.60' C/F Taos Resorts, LLC **0.750 acre±** part of Tract 1 of D8 & P2 (Radius=230.01 (D15)(P13) .N12°56'40"E Length=58.81 CROSS SECTION OF AIR SPACE BOUNDARY (D4)(D8)(D27)(P2)(P25) · 55.74° Δ=14°38'54" NOT TO SCALE Chord=N36°47'12"W Chord Length=58.65', ref. P2) N32°33'46"W N76°51'36"W 14.03 LEGEND 14.0' right of way easement, "SKIER SNOW BEACH" 1/2" REBAR SET w/ CAP STAMPED NMPS 11770 POINT OF BEGINNING OF DESCRIPTION BRASS CAP MONUMENT SET & STAMPED NMPS 11770 Ádjústéd Hótél St. Bernard Tráct 1/2" REBAR FOUND (OR AS NOTED) C/F Taos Ski C/F Hotel St. Bernard, LLC Valley, Inc. Adjusted Buroughs Tract Tract 1 of ref. P4 C/F TSV, LLC MAGNETIC MASONRY (PK) NAIL SET w/ TAG STAMPED NMPS 11770 D5 (P4) IRON PIPE FOUND WITNESS CORNER CURRENT OR FORMER OWNERSHIP DEED REFERENCE S83°55'19"W PLAT REFERENCE FIRE HYDRANT SEWER MANHOLE COVER STORM DRAIN DROP INLET WATER VALVE SEE DETAIL SHEET 10 WATER METER ELECTRIC TRANSFORMER ADMINISTRATIVE LOT LINE ADJUSTMENT "TSVI 2" TELEPHONE PEDESTAL SHEET 7 OF 11 NATURAL GAS METER ADJUSTED DAY LODGE TRACT → WATERCOURSE FLOWLINE **BOUNDARY SURVEY** PUBLIC EASEMENT DEDICATION Current owner: Taos Ski Valley, Inc. Projected Section 9, T 27N, R 14E, NMPM Survey plat prepared for: Red Tail Surveying, Inc. Complete Land Surveying and Taos Ski Valley Base Area Lot Line Adjustments Earth Information Services 160' 301-A Hinde Street Taos, New Mexico 87571-6654 575.758.7441 www.redtailsurvey.com Date: 16 Sep 2025 Scale: 1"=40' Draftsman: TS Proof: Robert A. Watt Job no. 1805-06-LLA ,O ARCHIVE\1800-1899\1805 TAOS SKI VALLEY ASSORTED CORE VILLAGE PROJECTS\1805-06-LLA PARCEL M LLA WITH MOGUL MED AND HSB\B DRAFTING\DWG\1805-06-LLA TSVI 16 SEP 25.DWG Last Saved: 10/8/2025 11:58 AM



Within the Antoine Leroux Grant, in the Village of Taos Ski Valley, Taos County, New Mexico [paved] Adjusted generator on Strawberry concrete slab Hill Tract C/F Strawberry Hill Development, LLC D2 P2 C/F Firehouse Development, LL D11 P8 **LEGEND** REBAR SET w/ CAP STAMPED NMPS 11770 POINT OF BEGINNING OF DESCRIPTION BRASS CAP MONUMENT SET & STAMPED NMPS 11770 1/2" REBAR FOUND (OR AS NOTED) MAGNETIC MASONRY (PK) NAIL SET w/ TAG STAMPED NMPS 11770 N90°00'00"E WITNESS CORNER 216.67 CURRENT OR FORMER OWNERSHIP DEED REFERENCE Adjusted Rio Hondo Tract C/F Taos Ski Valley, Inc. PLAT REFERENCE FIRE HYDRANT new lot line SEWER MANHOLE COVER paved UTILITY MANHOLE COVER road road STORM DRAIN DROP INLET WATER VALVE WATER METER ELECTRIC TRANSFORMER meander line of Antoine Leroux Grant LIGHT POLE TELEPHONE PEDESTAL NATURAL GAS METER ADMINISTRATIVE LOT LINE ADJUSTMENT · -- WATERCOURSE FLOWLINE SHEET 9 OF 11 **DETAIL BOUNDARY SURVEY**

Red Com Ear

Red Tail Surveying, Inc. Complete Land Surveying and Earth Information Services 301-A Hinde Street

Taos, New Mexico 87571-6654 575.758.7441 www.redtailsurvey.com Taos Ski Valley Base Area Lot Line Adjustments

Current owner: Taos Ski Valley, Inc.

Projected Sections 4 & 9, T 27N, R 14E, NMPM

Draftsman: TS


Proof: Robert A. Watt

Date: 16 Sep 2025 Sc

Survey plat prepared for:

Scale: 1"=20' Job no. 1805-06-LLA

Z:\O ARCHIVE\1800-1899\1805 TAOS SKI VALLEY ASSORTED CORE VILLAGE PROJECTS\1805-06-LLA PARCEL M LLA WITH MOGUL MED AND HSB\B DRAFTING\DWG\1805-06-LLA TSVI 16 SEP 25.DWG Last Saved: 10/8/2025 11:58 AM



Within the Antoine Leroux Grant, in the Village of Taos Ski Valley, Taos County, New Mexico

LINE TABLE				
LINE No.	BEARING	LENGTH		
L1	S76° 01' 02"E	14.82'		
<i>L2</i>	N87° 00' 31"E	95.88'		
L3	S65° 41' 22"E	22.89'		
L4	N89° 40' 47"E	19.59		
<i>L5</i>	N59° 13' 03"E	40.75		
L6	N73° 26' 49"E	27.59'		
L7	N89° 02' 40"E	47.22'		
L8	N83° 12' 18"E	59.95		
L9	S81° 34' 19"E	30.94		
L10	N78° 29' 46"E	91.14		
L11	S87° 32' 38"E	73.37'		
L12	N71° 16' 54"E	78.60'		
L13	S07° 57' 30"W	36.43		
L14	S34° 43' 44"E	61.55		
L15	S86° 17' 07"E	24.59'		
L16	N69° 26' 11"E	23.61		
L17	N55° 01' 08"E	98.37'		
L18	S07° 46' 05"W	37.93'		
L19	N40° 22' 36"E	23.59'		
L20	S85° 16' 01"E	55.69'		
L21	N05° 12' 06"E	59.55		
L22	N00° 01' 31"E	47.17'		
L23	N07° 46' 05"E	37.93'		
L24	S89° 54' 23"E	23.80'		
L25	N00° 00' 36"E	49.96		
L26	S87° 53' 00"E	32.88		
L27	N00° 00' 57"W	25.13		
L28	S88° 37' 21"E	75.85		
L29	N89° 00' 33"E	44.10'		
L30	N76° 28' 18"E	43.29		
L31	N73° 38' 53"E	59.72'		

LINE TABLE					
	LINE TABLE				
BEARING	LENGTH				
S60° 58' 45"E	41.31				
S39° 34' 07"E	26.72'				
S23° 30' 56"E	22.01				
S13° 14' 28"W	27.30'				
N77° 30' 13"W	41.09'				
S73° 47' 15"W	18.42'				
S53° 31' 25"W	46.20'				
S33° 43' 48"W	33.67'				
S52° 28' 24"E	33.03'				
S79° 22' 25"E	46.58				
N63° 03' 20"E	48.77'				
S33° 30' 17"W	54.24				
S63° 03' 20"W	23.79'				
N73° 47' 15"E	18.42'				
S38° 02' 41"E	3.50'				
S59° 16' 23"W	17.27				
S62° 26' 01"W	16.59'				
S14° 12' 57"W	10.55				
S62° 39' 44"W	1.97'				
S74° 56' 59"E	8.09'				
N17° 01' 43"E	60.46				
N27° 58' 17"W	18.71				
S59° 56' 21"E	3.06'				
S61° 07' 33"E	42.03'				
S67° 41' 50"E	20.39				
N63° 03' 20"E	23.79'				
N09° 33' 36"E	38.09				
N38° 02' 41"W	3.50'				
N09° 34' 03"E	52.50'				
N12° 56' 40"E	33.43				
N62° 39' 44"E	1.97'				
	\$60° 58' 45"E \$39° 34' 07"E \$23° 30' 56"E \$13° 14' 28"W N77° 30' 13"W \$53° 47' 15"W \$53° 43' 48"W \$552° 28' 24"E \$79° 22' 25"E N63° 03' 20"E \$33° 30' 17"W \$63° 03' 20"W N73° 47' 15"E \$38° 02' 41"E \$59° 16' 23"W \$52° 26' 01"W \$54° 12' 57"W \$62° 39' 44"W \$74° 56' 59"E N17° 01' 43"E \$74° 56' 59"E N17° 01' 43"E \$59° 56' 21"E \$61° 07' 33"E \$760° 41' 50"E \$760° 33' 36"E \$700° 34' 03"E \$700° 34' 03"E \$700° 34' 03"E				

	LINE TABLE	I
LINE No.	BEARING	LENGTH
L63	N14° 12' 57"E	10.55
L64	N62° 26' 01"E	16.59'
L65	S73° 18' 55"E	31.64'
L66	S31° 08' 45"E	42.75
L67	N59° 16' 23"E	17.27'
L68	S76° 51' 36"E	158.91
L69	N13° 38' 41"E	40.66
L70	N29° 28' 07"W	46.84
L71	S66° 15' 59"E	54.25'
L72	S48° 45' 07"E	21.91'
L73	S38° 07' 35"E	64.47'
L74	S53° 23' 56"E	33.11'
L75	S09° 34' 01"E	16.24
L76	S43° 03' 04"E	75.19'
L77	S30° 21' 56"E	95.83'
L78	S04° 02' 29"E	89.46
L79	S27° 17' 46"E	58.63'
L80	S50° 16' 13"E	68.08
L81	S51° 07' 23"E	97.41
L82	S49° 33' 16"W	24.97'
L83	S51° 05' 18"E	52.68
L84	S68° 41' 15"E	39.05
L85	S22° 48' 25"W	71.25'
L86	N73° 41' 12"W	82.38
L87	N66° 24' 11"W	99.88'
L88	S23° 35' 40"W	99.98'
L89	N74° 53' 25"W	87.17'
L90	N11° 21' 14"E	114.56'
L91	S85° 31' 09"E	15.20'
L92	S52° 05' 20"E	83.27'
L93	S13° 06' 08"W	84.90'

PARAN	NTHETICAL LINE T	ABLE
(ref. P2)	BEARING	LENGTH
L19	(N40° 17' 48"E)	(23.70')
L20	(S85° 14' 25"E)	(55.74')
L21	(N05° 12' 20"E)	(59.59')
L22	(N00° 02' 15"E)	(68.54')
L27	(N00° 29' 51"W)	(25.00')
L28	(S88° 34' 18"E)	(75.64')
L29	(N88° 59' 37"E)	(44.11')
L30	(N76° 27' 23"E)	(43.31')
L31	(N73° 37' 58"E)	(59.75')
L32	(S60° 59′ 41″E)	(41.33')
L33	(S39° 35' 02"E)	(27.05')
L34	(S23° 30' 37"E)	(22.02')
L56	(N67° 41' 29"W)	(20.41')

PARAN	PARANTHETICAL LINE TABLE				
(ref. P5)	BEARING	LENGTH			
L69	(N13° 39' 04"E)	(52.00')			
L70	(N29° 27′ 46″W)	(46.88')			
L71	(S66° 12′ 20″E)	(54.33')			
L72	(S48* 44' 46"E)	(21.93')			
L73	(S38° 07' 13"E)	(64.52')			
L74	(S53° 23' 35"E)	(33.14')			
L75	(S09° 33′ 39″E)	(16.26')			
L76	(S43° 02' 42"E)	(75.24')			
L77	(S30°21'35"E)	(95.90')			
L78	(S04° 02' 08"E)	(89.52')			
L79	(S27° 17′ 24″E)	(58.67')			
L80	(S50° 15′ 52″E)	(68.13')			
L81	(S51° 07' 02"E)	(97.48')			
L82	(S49° 33′ 37″W)	(24.99')			
L83	(S51° 04' 56"E)	(52.72')			
L84	(S68° 40' 53"E)	(39.08')			
L85	(S22° 48′ 47"W)	(71.30')			
L86	(N80° 26' 20"W)	(84.29')			

PARANTHETICAL LINE TABLE			
(ref. P25)	BEARING	LENGTH	
L52	(N16° 58' 12"E)	(60.51')	
L53	(N28° 01' 48"W)	(18.74')	
L54	(S59° 59′ 12"E)	(3.07')	
L55	(S61° 10' 27"E)	(42.10')	

SURVEYOR'S NOTES

- 1. This survey is a compilation of information provided or found in a public record. There may be other documents specifying easements, restrictions, covenants or codes that were not provided or are not known at the time of the preparation of this plat.
- 2. For current zoning information and development standards, contact the Village of Taos Ski Valley Planning and Zoning Department. The Subject Properties shown hereon are within the zone designations commercial business and or core village.
- 3. Bearing and distance information shown in *Roman triplex* font denotes measurements taken on the ground in preparation of this survey. Bearing and distance information bracketed by (parentheses) denotes record information from references as shown. Note... The subject Tracts are partially used for seasonal ski area operations. Ski runs & some snow making equipment are not shown to increase clarity of the tract information.
- 4. Part of the boundaries of this survey are meander courses along the Rio Hondo and Lake Fork Stream, are subject to change due to natural causes, and may or may not represent the actual limit of title.
- 5. Some buried utilities are shown, there are other buried utilities that are not shown. This plat is not to be relied upon for excavation purposes. Always call for line spots prior to digging.
- 6. The location for the water injection system depicted on sheets 5 & 6 of this survey plat is based on information provided by others and should be considered approximate, said system is buried and is not visible at the time of this survey. This system is shown at clients request.

ADMINISTRATIVE LOT LINE ADJUSTMENT
SHEET 11 OF 11
LINE TABLE & NOTES

BOUNDARY SURVEY

Projected Sections 4 & 9, T 27N, R 14E, NMPM



Red Tail Surveying, Inc.
Complete Land Surveying and
Earth Information Services
301-A Hinde Street
Taos, New Mexico 87571-6654
575.758.7441
www.redtailsurvey.com

Taos Ski Valley Base Area Lot Line Adjustments

Draftsman: TS

Proof: Robert A. Watt

Date: 16 Sep 2025

Survey plat prepared for:

Scale: 1"=150'

Job no. 1805-06-LLA

ARCHIVE\1800-1899\1805 TAOS SKI VALLEY ASSORTED CORE VILLAGE PROJECTS\1805-06-LLA PARCEL M LLA WITH MOGUL MED AND HSB\B DRAFTING\DWG\1805-06-LLA TSVI 16 SEP 25.DWG Last Saved: 10/8/2025 11:58 AM